

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124

CUSTOMER:

Rick Inniss
3007 Washington blvd
Marina Del Rey 90292



SAMPLE INFORMATION

Sample No.: 1315532
Product Name: Strawberry Margarita Spritz
Matrix: Edible (Beverage)
Lot #: PMS-SMRG-5-30

Date Collected: 06/10/2025
Date Received: 06/10/2025
Date Reported: 06/20/2025

TEST SUMMARY

Cannabinoid Profile: ✔ Tested
Residual Solvent Screen: ✔ Pass
Foreign Material: ✔ Pass

Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Cannabinoid Profile ✔ Tested

06/20/2025

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0008 mg/g
Limit of Quantitation 0.0025 mg/g

Cannabinoid	mg/g	%	mg/ml	mg/serving	mg/package	Labeled mg/serving	% Difference
Δ8-THC	ND	ND	ND	ND	ND	-	-
Δ9-THC	0.0086	0.00086	0.0088	0.62	3.12	1	37.55
Δ9-THCA	ND	ND	ND	ND	ND	-	-
THCV	ND	ND	ND	ND	ND	-	-
THCVA	ND	ND	ND	ND	ND	-	-
CBD	0.0029	0.00029	0.0030	0.21	1.05	0.4	47.35
CBDA	ND	ND	ND	ND	ND	-	-
CBC	ND	ND	ND	ND	ND	-	-
CBCA	ND	ND	ND	ND	ND	-	-
CBDV	ND	ND	ND	ND	ND	-	-
CBG	ND	ND	ND	ND	ND	-	-
CBGA	ND	ND	ND	ND	ND	-	-
CBN	ND	ND	ND	ND	ND	-	-
Exo-THC	ND	ND	ND	ND	ND	-	-
(6aR,9R)-Δ10-THC	ND	ND	ND	ND	ND	-	-
(6aR,9S)-Δ10-THC	ND	ND	ND	ND	ND	-	-
9(R)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
9(S)-Hexahydrocannabinol	ND	ND	ND	ND	ND	-	-
Δ8-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
Δ9-THC-O-Acetate	ND	ND	ND	ND	ND	-	-
THC-O-Phosphate	NT	NT	NT	NT	NT	-	-
Total THC	0.0086	0.00086	0.0088	0.62	3.12	-	-
Total CBD	0.0029	0.00029	0.0030	0.21	1.05	-	-
Total Cannabinoids	0.0115	0.00115	0.0118	0.84	4.18	-	-
Sum of Cannabinoids	0.0115	0.00115	0.0118	0.84	4.18	-	-
Serving Weight (g)	72.6188						
Package Weight (g)	363.094						
g/ml Conversion Factor	1.0228						

Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Comments This result of this sample is confirmed with a retest.

Pesticide Residue Screen ✔ Pass

06/20/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ	Findings	Limit	Status
Abamectin	0.015/0.05	ND	0.05	Pass
Acephate	0.015/0.05	ND	0.05	Pass
Acequinocyl	0.003/0.01	ND	0.01	Pass
Acetamiprid	0.003/0.01	ND	0.01	Pass
Aldicarb	0.006/0.02	ND	0.02	Pass
Allethrin	0.03/0.1	ND	0.1	Pass
Ancymidol	0.06/0.2	ND	0.2	Pass
Azadirachtin	0.15/0.5	ND	0.5	Pass
Azoxystrobin	0.003/0.01	ND	0.01	Pass
Benzovindiflupyr	0.003/0.01	ND	0.01	Pass
Bifenazate	0.003/0.01	ND	0.01	Pass
Bifenthrin	0.003/0.01	ND	0.01	Pass
Boscalid	0.003/0.01	ND	0.01	Pass
Buprofezin	0.003/0.01	ND	0.01	Pass
Captan	0.015/0.05	ND	0.05	Pass
Carbaryl	0.006/0.02	ND	0.02	Pass
Carbofuran	0.003/0.01	ND	0.01	Pass
Chlorantraniliprole	0.003/0.01	ND	0.01	Pass
Chlordane	0.03/0.1	ND	0.1	Pass
Chlorfenapyr	0.015/0.05	ND	0.05	Pass
Chlormequat	0.003/0.01	ND	0.01	Pass
Chlorpyrifos	0.003/0.01	ND	0.01	Pass
Clofentezine	0.003/0.01	ND	0.01	Pass
Clothianidin	0.008/0.025	ND	0.025	Pass
Coumaphos	0.003/0.01	ND	0.01	Pass
Cyantraniliprole	0.003/0.01	ND	0.01	Pass
Cyfluthrin	0.015/0.05	ND	0.05	Pass
Cypermethrin	0.015/0.05	ND	0.05	Pass
Cyprodinil	0.08/0.25	ND	0.25	Pass
Daminozide	0.003/0.01	ND	0.01	Pass
Deltamethrin	0.3/1	ND	1	Pass
Dichlorvos (DDVP)	0.006/0.02	ND	0.02	Pass
Diazinon	0.003/0.01	ND	0.01	Pass
Dimethoate	0.0006/0.002	ND	0.002	Pass
Dimethomorph	0.015/0.05	ND	0.05	Pass
Dinotefuran	0.015/0.05	ND	0.05	Pass
Dodemorph	0.015/0.05	ND	0.05	Pass
Endosulfan Sulphate	0.15/0.5	ND	0.5	Pass
Endosulfan-alpha	0.03/0.1	ND	0.1	Pass
Endosulfan-beta	0.15/0.5	ND	0.5	Pass
Ethoprophos	0.003/0.01	ND	0.01	Pass
Etofenprox	0.003/0.01	ND	0.01	Pass
Etoxazole	0.003/0.01	ND	0.01	Pass
Etridiazole	0.003/0.01	ND	0.01	Pass
Fenhexamid	0.006/0.02	ND	0.02	Pass
Fenoxycarb	0.003/0.01	ND	0.01	Pass
Fenpyroximate	0.006/0.02	ND	0.02	Pass
Fensulfothion	0.003/0.01	ND	0.01	Pass
Fenthion	0.003/0.01	ND	0.01	Pass
Fenvalerate	0.03/0.1	ND	0.1	Pass
Fipronil	0.003/0.01	ND	0.01	Pass
Fonicamid	0.008/0.025	ND	0.025	Pass
Fludioxonil	0.003/0.01	ND	0.01	Pass
Fluopyram	0.003/0.01	ND	0.01	Pass
Flurprimidol	0.06/0.2	ND	0.2	Pass
Hexythiazox	0.003/0.01	ND	0.01	Pass
Imazalil	0.003/0.01	ND	0.01	Pass
Imidacloprid	0.003/0.01	ND	0.01	Pass
Indole-3-butyric acid	0.3/1.0	ND	1.0	Pass
Iprodione	0.15/0.5	ND	0.5	Pass
Kinoprene	0.015/0.05	ND	0.05	Pass
Kresoxim-methyl	0.003/0.01	ND	0.01	Pass
Malathion	0.003/0.01	ND	0.01	Pass

Analyte	LOD / LOQ	Findings	Limit	Status
Metalaxyl	0.003/0.01	ND	0.01	Pass
Methiocarb	0.003/0.01	ND	0.01	Pass
Methomyl	0.015/0.05	ND	0.05	Pass
Methoprene	0.3/1	ND	1	Pass
Parathion methyl	0.009/0.03	ND	0.03	Pass
Mevinphos	0.008/0.025	ND	0.025	Pass
MGK-264	0.015/0.05	ND	0.05	Pass
Myclobutanil	0.003/0.01	ND	0.01	Pass
Naled	0.03/0.1	ND	0.1	Pass
Novaluron	0.008/0.025	ND	0.025	Pass
Oxamyl	0.015/0.05	ND	0.05	Pass
Paclobutrazol	0.003/0.01	ND	0.01	Pass
Pentachloronitrobenzne (Quintozene)	0.003/0.01	ND	0.01	Pass
Permethrins	0.012/0.04	ND	0.04	Pass
Phenothrin	0.008/0.025	ND	0.1	Pass
Piperonyl butoxide	0.03/0.1	ND	0.1	Pass
Prallethrin	0.015/0.05	ND	0.05	Pass
Phosmet	0.003/0.01	ND	0.01	Pass
Pirimicarb	0.003/0.01	ND	0.01	Pass
Propiconazole	0.003/0.01	ND	0.01	Pass
Propoxur	0.003/0.01	ND	0.01	Pass
Pyraclostrobin	0.003/0.01	ND	0.01	Pass
Pyrethrins	0.008/0.025	ND	0.05	Pass
Pyridaben	0.003/0.01	ND	0.01	Pass
Resmethrin	0.006/0.02	ND	0.05	Pass
Spinetoram	0.003/0.01	ND	0.01	Pass
Spinosad	0.003/0.01	ND	0.01	Pass
Spirodiclofen	0.08/0.25	ND	0.25	Pass
Spiromesifen	0.003/0.01	ND	0.01	Pass
Spirotetramet	0.003/0.01	ND	0.01	Pass
Spiroxamine	0.003/0.01	ND	0.01	Pass
Tebuconazole	0.003/0.01	ND	0.01	Pass
Tebufenozide	0.003/0.01	ND	0.01	Pass
Teflubenzuron	0.008/0.025	ND	0.025	Pass
Tetrachlorvinphos	0.003/0.01	ND	0.01	Pass
Tetramethrin	0.015/0.05	ND	0.05	Pass
Thiacloprid	0.003/0.01	ND	0.01	Pass
Thiamethoxam	0.003/0.01	ND	0.01	Pass
Thiophanate-methyl	0.009/0.03	ND	0.03	Pass
Trifloxystrobin	0.003/0.01	ND	0.01	Pass

Residual Solvent Screen ✓ Pass

06/20/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	2880.00	5000	Pass
Ethyl acetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

06/19/2025

Method: MF 24E020

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD / LOQ (µg/g)	Findings (µg/g)	Limit	Status
Arsenic	0.02/0.05	ND	0.2	Pass
Cadmium	0.02/0.05	ND	0.2	Pass
Mercury	0.02/0.05	ND	0.1	Pass
Lead	0.02/0.05	ND	0.5	Pass

Foreign Material ✔ Pass

06/19/2025

Method: MF-CHEM-7

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen ✔ Pass

06/20/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

ND = None Detected
 LOD = Limit of Detection
 LOQ = Limit of Quantitation

Reported by




Eric Tam
 Senior Chemist



Scan to verify